## **Workforce Enterprise WF Color AM-C4000**

**Specification:** 

**Printing Technology** 

Printer Type:Print, Scan, Copy, Fax (Optional)

**Print Method:**PrecisionCore<sup>TM</sup> Line Head Inkjet Technology

Maximum Print Resolution: 600 x 2,400 dpi

Memory (Min / Max):8,192MB (Total RAM size)

Minimum Ink Droplet Volume: 3.8 pl

Printer Language: ESC/P-R, ESC/Page

Maximum Monthly Duty Cycle: 384,000 pages per month \*2

Control Panel: 10.1 inch / 25.7 cm TFT Colour LCD

**Printer Control Language Emulations:** PCL5c / PCL6 / PostScript3 / PDF(ver1.7)

**Automatic 2-sided Printing:**Yes

**Print Speed:**ISO 24734, A4, Simplex / Duplex (Black\*1 / Colour\*1): Approx. 40 ipm / 40 ipm

ISO 24734.2, A3, Simplex / Duplex (Black / Colour): Approx. 23 ipm / 11 ipm First Page Out Time (Black / Colour): Approx. 7.6 sec / 7.6 sec

**Scanning:** 

**Scanner Type:**Flatbed colour image scanner

**Sensor Type:**Colour CIS x 2

Optical Resolution: 600 x 600 dpi

**Maximum Scan Area:**297 x 431.8 mm (11.7 x 17")

Scanner Bit Depth (Colour):30-bit input, 24-bit output

Scanner Bit Depth (Grayscale): 10-bit input, 8-bit output

Scanner Bit Depth (Black & White): 10-bit input, 1-bit output

**Scan Features:**Scan to Network Folder/FTP, Scan to Email, Scan to Memory Device, Scan to Computer (Document Capture Pro / Document Capture Pro Server), Scan to Computer (WSD), Scan to Computer (WSD), Scan to Cloud (Epson Connect)

Output File Formats: BMP, JPEG, TIFF, multi-TIFF, PDF, PNG

**Scan Speed (Flatbed / ADF (Simplex)) 200 dpi:**Flatbed : A4 Landscape: 3.0 sec, A3: 4.0 sec

ADF (Simplex/Duplex): 3: 4.0 sec A4: 60 ppm / 120 ipm

**Connectivity:** 

**USB Interface:** USB 3.0

Network: Ethernet

Network Protocol:TCP/IPv4, TCP/IPv6

Network Management Protocols: SNMP, HTTP, DHCP, BOOTP, APIPA,

PING, DDNS, mDNS, SNTP, SLP, WSD, LLTD

**Security Features:** Access Control Function, LDAP Address Book, IP Address Filtering, Panel Admin Mode, Confidential Job

**Interface:** 10 Base-T, Wired Network, Gigabit ethernet interface, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Wireless LAN IEEE 802.11a/b/g/n, Wi-Fi Direct, USB 1.1 Type A, USB 2.0 Type A, USB 3.0 Type B, Near Field Communication (NFC)

Wi-Fi Direct: Wi-Fi (IEEE802.11b/g/n), Wi-Fi Direct (Max 8 devices)

**Mobile and Cloud Solutions:** 

**Epson Connect Features:** Epson Smart Panel, Epson Email Print, Remote Print Driver, Scan to Cloud

Other Mobile Solutions: Apple AirPrint, Mopria Print Service, Microsoft Universal Print

**Dimensions / Weight:** 

**Dimension (WxDxH):**517 x 407 x 374 mm (Width x Depth x Height)

Weight:22 kg

**Electrical Characteristics:** 

**Power Consumption:**Operating: 110W

Standby: 46W

Sleep: 1W

Power off: 0.1W

Rated Power Supply Voltage: 220-240V

## **Support Operation System:**

Support Operation System: Windows 7 / 8 / 8.1 / 10 / 11, Windows Server 2008 / 2012 / 2016 / 2019 / 2022

Mac OS X 10.9.5 or later, macOS 11.x or later

Chrome OS ver 89 or later (Printing and Scanning only)