

HP Color Laser Jet Managed MFP E47528f

Specification:

Functions-Print, copy, scan, fax

Print Cartridges/Bottle, Number-4 (1 each black, cyan, magenta, yellow)

Print speed black (ISO, A4)-Normal: Up to 27 ppm [8] [8] Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Print speed color (ISO, A4)-Up to 27 ppm [8] [8] Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

First page out (ready)-Black: As fast as 9.5 sec [9] [9] First Copy Out from Ready and Simplex Copy Speed measured using ISO/IEC 29183, Duplex Copy Speed measured using ISO/IEC 24735, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, document complexity, media size, media orientation and media type.

Duty cycle (monthly, A4)-Up to 65,000 pages

Recommended monthly page volume-1,500 to 7,500 HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

Print technology-Laser

Print quality black (best)-Black: Up to 600 x 600 dpi Color: Up to 600 x 600 dpi

Print languages-HP PCL 6, HP PCL 5, HP PostScript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™

Display-4.3” diagonal Color TFT-LCD back-lit 480 RGB (H) x 272 (V)

Processor speed-800 MHz

Automatic paper sensor-No

Mobile printing capability-HP ePrint; Apple AirPrint™; Mopria™ Certified; Wi-Fi® Direct Printing; NFC Touch-to-print (optional); PrinterOn Print

Wireless capability-Optional, enabled with purchase of a wireless hardware accessory. Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A

Connectivity, standard-2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 FAX

Connectivity, optional-HP Jetdirect LAN Accessory 8FP31A, HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A

Minimum system requirements-2 GB available hard disk space Internet connection or USB port Internet browser. For additional OS hardware requirements see microsoft.com 2 GB available hard drive space Internet connection or USB port Internet browser. For additional OS hardware requirements see apple.com

Compatible operating systems-Windows 11; Windows 10; Windows 8; Windows 8.1; Windows 7; Windows Client OS; Android; iOS; Mobile OS; macOS 10.12 Sierra; macOS 10.13 High Sierra; macOS 10.14 Mojave; macOS 10.15 Catalina

Memory-2 GB

Memory, maximum-2 GB [6] Memory not expandable

Internal Storage-Not available

Media sizes supported-Tray 1: A4, RA4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K, envelopes (B5, C5 ISO, C6, DL ISO); Custom: 76 x 127 to 216 x 356 mm; Tray 2: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x

356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K;
98 x 148 to 216 x 356 mm

Media sizes, custom-Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 98 x 148 to 216 x
356 mm; Optional Tray: 98 x 148 to 216 x 356 mm

Paper handling input, standard-50-sheet multipurpose tray, 250-sheet input tray

Paper handling input, optional-Optional 550-sheet tray; All trays include fixed-size
paper tray guides

Paper handling output, standard-150-sheet output bin

Maximum output capacity (sheets)-Up to 150 sheets

Duplex printing-Automatic (default)

Media types-Paper (bond, brochure, colored, glossy, letterhead, photo, plain,
preprinted, prepunched, recycled, rough), postcards, labels, envelopes

Media weight, supported-Tray 1: 60 to 176 g/m² (up to 200 g/m² with postcards
and HP Color laser glossy photo papers); Tray 2: 60 to 163 g/m² (up to 176 g/m²
with postcards, up to 200 g/m² HP Color laser glossy photo papers): optional Tray
3: 60 to 163 g/m² (up to 176 g/m² with postcards, up to 150 g/m² Glossy media);
Automatic duplexer: 60 to 163 g/m²

Media weights, supported ADF-50 to 120 g/m²

Scanner type-Flatbed, ADF

Scan resolution, optical-up to 600 dpi

Scan size (ADF), maximum-216 x 356 mm

Scan size (ADF), minimum-127 x 178 mm

Scan speed (normal, A4)-Up to 29 ppm/46 ipm (b&w), up to 20 ppm/35 ipm
(color)

Recommended monthly scan volume-900 to 4800

Duplex ADF scanning-Yes, single pass duplex scanning

Automatic document feeder capacity-Standard, 50 sheets

Digital sending standard features-Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Scan-to-Sharepoint; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF; Scan to Onedrive; Scan to Onedrive for Business; Scan to Sharepoint Online

File Format Supported-JPG; MTIFF; PDF; PDF/A; TIFF; XPS

Copy speed (normal)-Black: Up to 27 cpm Color: Up to 27 cpm

Copy resolution (black text)-Up to 600 x 600 dpi

Copy resolution (color text and graphics)-Up to 600 x 600 dpi

Copy reduce / enlarge settings-25 to 400%

Copies, maximum-Up to 9999 copies

Faxing-Yes

Fax transmission speed-33.6 kbps (maximum); 14.4 kbps (default) [5] [5] Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory.

Fax memory-Dependent on the amount of available disk space

Fax Resolution Black (best)-Up to 300 x 300 dpi

Fax Speed Dials, Maximum Number-Up to 1000 numbers

Fax Broadcast Locations-0

Power-110-volt input voltage: 110 to 127 VAC (+/- 10%), 60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60Hz (+/- 3 Hz) (Not dual voltage, power supply varies by part number with # Option code identifier)

Power consumption-581 watts (active printing), 21.9 watts (ready), 1.0 watts (sleep), 0.08 watts (auto-off/manual-on), 0.08 watts (manual off) Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.

Sustainable impact specifications

Mercury-free

Operating temperature range-15 to 32.5°C

Recommended operating humidity range-10 to 90% RH

Acoustic power emissions (ready)-3.6 B(A) Sound Power values are subject to change. Please visit HP.com for more information. This printer was tested while printing A4 media at 24 ipm.

Acoustic pressure emissions bystander (active, printing)-49 dB(A) (Printing at 27 ipm)

Dimensions (W x D x H)-415.4 x 472 x 399.8 mm

Maximum dimensions (W x D x H)-415.4 x 1124.4 x 656 mm (printer fully opened)

Package dimensions (W x D x H)-597 x 497 x 490 mm

Pallet dimensions (W x D x H)-1200 x 1000 x 2451 mm

Weight-23.2 kg

Package weight-26.34 kg

Pallet weight-527.89 kg

Quantity per pallet-20 (US); 16 (EMEA/AP)

Count of layers in pallet-5 (US); 4 (EMEA/AP)

What's in the box-HP Color LaserJet Managed MFP E47528f printer; HP Black Original LaserJet Toner Cartridge (~2,400 pages); HP Cyan, Magenta, Yellow Original LaserJet Toner Cartridges (~2,100 pages each); Fixed-Size Paper Tray Guides; Getting started Guide; 1 Power cord [1] For yield information on the cartridge(s) included with your printer, see <http://www.hp.com/go/toneryield>.

Yield values measured in accordance with ISO/IEC 19798 and continuous printing.

Actual yields vary considerably based on images printed and other factors.

Cable included

No, please purchase USB cable separately.

Software included-No software solutions are included in the Box only on

<http://hp.com> or <http://123.hp.com>

Manufacturer Warranty-One-Year, On-site Repair 24-hour / 7 day a week phone support